



ARIHANT CHEMICAL CORPORATION & J.J ENTERPRISE

For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.

Material safety Data Sheet :- Orange Oxide

1. Supply / Manufactures

:Arihant Chemical Corporation.

24/5, Krishna kunj bldg, behind arora

Arora cinema, opp. Sahakari bhandar

Sewari wadala road, Matunga (C.R) Mumbai- 40019.

CELLULAR:- 9820142066 – 9029042066

info@arihantchemcorp.com or nilesh@arihantchemcorp.com

2. Composition/information on ingredients

Mixture of C.I. Pigment red 101 (Fe_2O_3) and Pigment yellow 42 (FeOOH)

3. Hazards identification

Hazard warning not required.

4. First-aid measures

In case of eye contact rinse with plenty of water. If irritation of the eyes persists, consult a doctor (ophthalmologist).

5. Fire-fighting measures

Extinguishing media: No restriction in fire situations.

6. Accidental release measures

Take up avoiding formation of dust.

7. Handling and storage

Storage: Store in a cool, dry place.

VCI storage class: 13, Protection against fire and explosion: No special measures required.

Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema, opp Sahakari bhandar, Matunga (C.R) Mumbai – 400019

Administration /correspondence Office :- Plot No. 319, Room No.3, Ranchoddas Terrace building, sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019

Tel :- +91 22 24148378 / 24146390

Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208 / +91 9029042066

Email id :- info@arihantchemcorp.com, or nilesh@arihantchemcorp.com

Continue page 2.....



ARIHANT CHEMICAL CORPORATION & J.J ENTERPRISE

For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.

Material safety Data Sheet: - Orange Oxide

8. Exposure controls/Personal protection

For exposure controls see Chapter 15.

Eye protection: goggles

Respiratory protection: dust-protection mask if the MAK value is exceeded.

When handling observe the usual precautionary measures for dust-forming products.

9. Physical and chemical properties tested in accordance with

Form: powdery , Colour: yellow to red

Odour: odourless , Melting point: > 1000 °C

Density: approx. 4.3 g/cm³ at 20 °C DIN ISO 787/10

Bulk density: 300-500 kg/m³ at 20 °C

Vapour pressure: not applicable, Viscosity: not applicable

Solubility in water: insoluble , pH Value: 3.5-7.5 at 50 g/l water in aqueous suspension

DIN ISO 787/9 , Flash point: not applicable

10. Stability and reactivity

Thermal decomposition: From approx. 180 °C conversion into Fe₂O₃.

Hazardous decomposition products: No hazardous decomposition products observed.

Hazardous reactions: No hazardous reactions observed.

11. Stability and reactivity

Thermal decomposition: From approx. 180 °C conversion into Fe₂O₃.

Hazardous decomposition products: No hazardous decomposition products observed.

Hazardous reactions: No hazardous reactions observed.

12. Toxicological information

Toxicological tests on chemically identical products yielded the following results:

LD₅₀ oral, rat: > 5000 mg/kg

Rabbit skin (24h): non-irritant , Rabbit eyes: non-irritant

(Tests at Institute for Toxicology of Bayer AG)

According to the present state of knowledge Bayferrox pigments are physiologically

harmless; under extreme conditions, however, mechanical action

arising from eye contact (action of dust) may cause slight temporary irritation of the mucosa.

**Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar,
Matunga (C.R) Mumbai – 400019**

**Administration /correspondence Office :- Plot No. 319,Room No.3, Ranchoddas Terrace building ,
sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019
Tel :- +91 22 24148378 / 24146390**

Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066

Email Id :- info@arihantchemcorp.com, or nilesh@arihantchemcorp.com



ARIHANT CHEMICAL CORPORATION & J.J ENTERPRISE

For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.

Material safety Data Sheet: - Orange Oxide

13. Ecological information, Ecotoxicological tests on chemically identical products yielded the following results: Acute fish toxicity: Golden orfe (*Leuciscus idus*) LC₅₀: > 1000 mg/l

Acute bacterial toxicity: No harmful effect on *Pseudomonas putida*: > 1000 mg/l

(Examinations made at the Institute of environmental analysis and evaluation of Bayer AG)

As the product is practically insoluble in water, it is separated in almost any filtration and sedimentation process.

Water pollution class (WGK): 0 – not generally hazardous to water

WGK = Classification in accordance with the German Water Resources Act.

14. Disposal considerations

Examine possibilities for re-utilization, May be disposed of in approved landfills provided local regulations

Are observed. Return large quantities to manufacturer. European Waste Catalogue (EWC) code: 061199/060401

15. Transport information (Continuation)

Other information: Not dangerous cargo. Keep separated from foodstuffs.

16. Regulatory information No labelling is required in accordance with the EEC directives.

MAK value: 6 mg/m³, measured as the alveolar aerosol content.

17. Other information the data given here is based on current knowledge and experience.

The purpose of This Safety Data Sheet is to describe the products in terms of their safety ,Requirements. The data does not signify any warrenty with regard to the products'

Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar, Matunga (C.R) Mumbai – 400019

Administration /correspondence Office :- Plot No. 319,Room No.3, Ranchoddas Terrace building , sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019
Tel :- +91 22 24148378 / 24146390

Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066

Email Id :- info@arihantchemcorp.com, or nilesh@arihantchemcorp.com