



# **ARIHANT CHEMICAL CORPORATION & J.J ENTERPRISE**

**For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.**

## **MATERIAL SAFETY DATA SHEET :- Violet Toner 3**

### **SECTION 1: CHEMICAL PRODUCT AND COMPANY INFORMATION**

Common Name: C. I. PIGMENT VIOLET 3

Chemical Name: C. I. PIGMENT VIOLET 3

Formula: Phosphotungstomolybdic Acid Lake

Product CAS No.: 1325-82-2

Supplier Name:- M/S Arihant chemical corporation

Address: 24/5 Krishna kunj behind arora cinema opp sahakari bhandar sewari wadala road ,Matunga (C.R.) Mumbai 400019

### **SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS**

| INGREDIENT             | CAS NO.   | % Wt. |
|------------------------|-----------|-------|
| C. I. PIGMENT VIOLET 3 | 1325-82-2 |       |

Note: See Section 8 for Exposure Limits and Section 11 for Toxicological Information.

### **SECTION 3: HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

Blue Powder

Odorless

Flash Point: Not Determined

May cause mechanical irritation to eyes.

May cause eye, skin and respiratory tract irritation.

Harmful if large amounts are swallowed. May cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Organic pigments can burn at temperatures above 250 oC. This product is not readily ignitable. Dust explosions are possible.

#### **ROUTES OF ENTRY**

Eyes? NO

Skin? NO

Inhalation? YES

Ingestion? NO

#### **POTENTIAL HEALTH EFFECTS**

Eye contact: may cause mechanical irritation if exposed to large amounts of dust.

SKIN CONTACT: Prolonged or repeated contact may cause irritation.

INHALATION: may cause irritation if exposure is prolonged or excessive.

INGESTION: may cause gastrointestinal disturbances.

#### **CARCINOGENICITY**

NTP? NO

IARC? NO

OSHA? NO

#### **CHRONIC HEALTH HAZARDS**

None Known.

#### **MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE**

May aggravate existing respiratory and/or skin ailments.

### **SECTION 4: FIRST AID MEASURES**

EYE CONTACT: Flush eyes with plenty of water. Call a physician.

SKIN CONTACT: Procedures normally not needed. Flush with water, call a physician.

INHALATION: Remove to fresh air. If breathing is difficult, call a physician.

INGESTION: Get medical attention immediately. If vomiting occurs, prevent aspiration by keeping head lower than hips.

**Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar, Matunga (C.R) Mumbai – 400019**

**Administration /correspondence Office :- Plot No. 319,Room No.3, Ranchoddas Terrace building ,sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019**

**Tel :- +91 22 24148378 / 24146390**

**Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066**

**Email Id :- [info@arihantchemcorp.com](mailto:info@arihantchemcorp.com), or [nilesh@arihantchemcorp.com](mailto:nilesh@arihantchemcorp.com) Continue Page 2....**



## **ARIHANT CHEMICAL CORPORATION & J.J ENTERPRISE**

**For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.**

### **MATERIAL SAFETY DATA SHEET :- Violet Toner 3**

#### **SECTION 5: FIRE – FIGHTING MEASURES**

Flash Point: Not Determined

Auto – Ignition: Not Determined

LEL: Not Determined

UEL: Not Determined

NFPA HAZARD CLASSIFICATION

Health: 1

Flammable: 1

Reactivity: 0

HMIS HAZARD CLASSIFICATION

Health: 1

Flammable: 1

Reactivity: 0

EXTINGUISHING MEDIA

Use water, carbon Dioxide or Foam.

SPECIAL FIRE FIGHTING PROCEDURES

Wear NIOSH / MSHA approved positive-pressure self-contained breathing apparatus and protective clothing as specified in 29 CFR 1910.156

UNUSUAL FIRE AND EXPLOSION HAZARDS

Organic pigments can burn at temperatures above 250 °C. This product is not readily ignitable. Dust explosions are possible.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Contain spillage and scoop up or vacuum. Avoid dusting. Notification to the National Response Center may be required. It is recommended that the user establish spill prevention, control and counter measure plan (SPCC). Such plan should include procedures applicable to proper storage, control and clean up of spills, including reuse or disposal as appropriate.

#### **SECTION 7: HANDLING AND STORAGE**

Wash thoroughly after handling.

Keep away from food and feed products.

Keep container closed.

Avoid breathing dust.

Avoid contact with eyes, skin and clothing.

Use adequate ventilation.

**Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar, Matunga (C.R) Mumbai – 400019**

**Administration /correspondence Office :- Plot No. 319,Room No.3, Ranchoddas Terrace building ,sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019  
Tel :- +91 22 24148378 / 24146390**

**Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066**

**Email Id :- [info@arihantchemcorp.com](mailto:info@arihantchemcorp.com), or [nilesh@arihantchemcorp.com](mailto:nilesh@arihantchemcorp.com)**



## ARIHANT CHEMICAL CORPORATION & J.J ENTERPRISE

For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.

### MATERIAL SAFETY DATA SHEET :- Violet Toner 3

#### SECTION 8: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: Not Applicable  
Specific Gravity (H<sub>2</sub>O = 1): >1  
Melting Point: Not Applicable  
Vapor Pressure (mm Hg): Not Applicable  
Vapor Density (Air = 1): Not Applicable  
Evaporation Rate (Butyl Acetate = 1): Not Applicable  
% Solubility In Water: Dispersible  
Appearance: Yellow Powder  
Odor: Odorless  
pH : 6.8 to 7

#### SECTION 9: STABILITY AND REACTIVITY

Stability: Generally considered stable.  
Avoid Heat; see Section 5, Fire and Explosion Hazard Data.  
INCOMPATIBILITY (Materials to Avoid)

Strong oxidizing agents.

#### HAZARDOUS DECOMPOSITION OR BY-PRODUCTS

Toxic emissions, which could include carbon monoxide and nitrogen oxides, are possible if decomposition occurs.  
Polymerization: Polymerization is not expected to occur.  
Avoid: Not applicable.

#### SECTION 10: TOXICOLOGICAL INFORMATION

| CHEMICAL NAME          | % Wt. LD50  | LC50          |
|------------------------|-------------|---------------|
| C. I. PIGMENT VIOLET 3 | >4900 mg/kg | Not Available |

RAT, oral

#### SECTION 11: ECOLOGICAL INFORMATION

##### ECOTOXICITY

No data available

##### ENVIRONMENTAL FATE

No data available

#### SECTION 12: DISPOSAL CONSIDERATIONS

US EPA Waste Number: Not Regulated

This product, if disposed as received is a non-hazardous waste on the basis of TCLP testing under current EPA Hazardous Waste Regulation as defined by 40 CFR Part 261 et al. Disposal / recycling / reclamation requirements will vary by location and type of disposal selected.

Consult with state and local regulatory authorities.

\*\* NOTE \*\* Chemical additions, processing or otherwise altering this material may make the waste management information presented above incomplete, inaccurate or otherwise inappropriate.

As local regulations may vary; all waste must be disposed/recycled/reclaimed in accordance with federal, state, and local environmental control regulations.

Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar, Matunga (C.R)Mumbai – 400019

Administration /correspondence Office :- Plot No. 319,Room No.3, Ranchoddas Terrace building ,sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019

Tel :- +91 22 24148378 / 24146390

Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066

Email Id :- [info@arihantchemcorp.com](mailto:info@arihantchemcorp.com), or [nilesh@arihantchemcorp.com](mailto:nilesh@arihantchemcorp.com) Continue Page 3 .....



## **ARIHANT CHEMICAL CORPORATION & J.J ENTERPRISE**

**For paints / inks / plastic / Rubber industries Raw material available with us under self import /  
Manufacturing / Trading.**

### **MATERIAL SAFETY DATA SHEET :- Violet Toner 3**

#### **SECTION 13: TRANSPORT INFORMATION**

INTERNATIONAL

UN Number: Not Regulated

UNITED STATES

EPA Waste Number: Not Regulated

DOT Classification: Not Regulated

CANADA

PIN Number: Not Regulated

TDG Class: Not Regulated

EC

DGL: Not Determined

#### **SECTION 14: REGULATORY INFORMATION**

US FEDERAL REGULATIONS

TSCA: IN TSCA

SARA 311 and 312 HAZARD CATEGORIES

IMMEDIATE (Acute) Health Hazard: NO

DELAYED (Chronic) Health Hazard: YES

FIRE HAZARD: NO

REACTIVITY HAZARD: NO

Sudden Release of PRESSURE: NO

SARA SECTION 313 NOTIFICATION

This product does not contain toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

OZONE DEPLETING SUBSTANCES (ODS)

This product neither contains nor is manufactured with an ozone depleting substance subject to the labeling requirements of the Clean Air Act Amendments 1990 and 40 CFR Part 82.

VOLATILE ORGANIC COMPOUNDS (VOC)

None

US STATE REGULATIONS

VOLATILE ORGANIC COMPOUNDS (CARB): None

CANADIAN REGULATIONS

DSL/NDSL: DSL

WHMIS Classification: Class D Division 2 Subdivision B

EUROPEAN REGULATIONS

EINECS: Yes

OTHER REGULATIONS

MITI: No

AICS: No

**Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar, Matunga (C.R) Mumbai – 400019**

**Administration /correspondence Office :- Plot No. 319,Room No.3, Ranchoddas Terrace building ,sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019  
Tel :- +91 22 24148378 / 24146390**

**Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066**

**Email Id :- [info@arihantchemcorp.com](mailto:info@arihantchemcorp.com), or [nilesh@arihantchemcorp.com](mailto:nilesh@arihantchemcorp.com)**



## **ARIHANT CHEMICAL CORPORATION & J.J ENTERPRISE**

**For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.**

### **MATERIAL SAFETY DATA SHEET :- Violet Toner 3**

The information in this Material Safety Data Sheet should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. This information has been prepared for the guidance of plant engineering, operation, and management and for persons working with or handling this product. The information presented in the MSDS is with or handling this product. The information presented in the MSDS is premised upon proper handling and anticipated uses and is for the material without chemical additions/alteration. We believe this information to be reliable and up-to-date as of the date of publication, but make no warranty that it is.

**Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar, Matunga (C.R) Mumbai – 400019**

**Administration /correspondence Office :- Plot No. 319,Room No.3, Ranchoddas Terrace building ,sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019**  
**Tel :- +91 22 24148378 / 24146390**

**Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066**

**Email Id :- [info@arihantchemcorp.com](mailto:info@arihantchemcorp.com), or [nilesh@arihantchemcorp.com](mailto:nilesh@arihantchemcorp.com)**