

For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.

STRONTIUM CHROMATE Anti-Corrosive Pigments: - MSDS

Supplier: Manufactures

Arihant Chemical Corporation.

24/5, Krishna kunj bldg,behind arora :Arora cinema,opp. Sahakari bhandar

Sewari wadala road, Matunga (C.R) Mumbai- 40019.

CELLULAR:-9820142066 - 9029042066

info@arihantchemcorp.com or nilesh@arihantchemcorp.com

Section 1: Chemical Product and Company Identification

Product Name: Strontium Chromate

Catalog Codes: SLS3637

CAS#: 7789-06-2 **RTECS:** GB3240000

TSCA: TSCA 8(b) inventory: Strontium Chromate

CI#: Not available.

Synonym:

Chemical Name: Not available. Chemical Formula: SrCrO4

Section 2: Composition and Information on Ingredients

Composition:

Name CAS # % by Weight

Strontium Chromate 7789-06-2 100

Toxicological Data on Ingredients: Strontium chromate: ORAL (LD50): Acute: 3118 mg/kg [Rat].

Section 3: Hazards Identification

Potential Acute Health Effects: - Very hazardous in case of ingestion. Hazardous in case of skin contact (irritant, permeator), of eye contact, (irritant), of inhalation.

Potential Chronic Health Effects: - Very hazardous in case of ingestion.

Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of inhalation.

CARCINOGENIC EFFECTS: Classified 1 (Proven for human.) by IARC, 1 (Known.) by NTP, + (PROVEN) by

OSHA. Classified A2 (Suspected for human.) by ACGIH.

MUTAGENIC EFFECTS: Not available.
TERATOGENIC EFFECTS: Not available.
DEVELOPMENTAL TOXICITY: Not available.

Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar, Matunga (C.R) Mumbai – 400019

Administration / correspondence Office :- Plot No. 319, Room No. 3, Ranchoddas Terrace building ,sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019 Tel :- +91 22 24148378 / 24146390

Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066

Email Id: info@arihantchemcorp.com, or nilesh@arihantchemcorp.com Continue page 2....



For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.

STRONTIUM CHROMATE Anti-Corrosive Pigments: - MSDS

Section 4: First Aid Measures

Eye Contact: - Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact:- After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin.

Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Serious Skin Contact: - Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation: Not available.

Ingestion: - Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing,

perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: May be combustible at high temperature.

Auto-Ignition Temperature: Not available.

Flash Points: Not available. Flammable Limits: Not available.

Products of Combustion: Some metallic oxides.

Fire Hazards in Presence of Various Substances: Not available.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.

Section 6: Accidental Release Measures

Small Spill:- Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements. **Large Spill: -** Use a shovel to put the material into a convenient waste disposal container. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar, Matunga (C.R) Mumbai – 400019

Administration / correspondence Office :- Plot No. 319, Room No. 3, Ranchoddas Terrace building ,sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019 Tel :- +91 22 24148378 / 24146390

Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066

Email Id: <u>info@arihantchemcorp.com</u>, or <u>nilesh@arihantchemcorp.com</u> Continue page 3....



For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.

STRONTIUM CHROMATE Anti-Corrosive Pigments: - MSDS

Section 7: Handling and Storage

Precautions: - Keep locked up Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe dust. Wear suitable protective clothing In case of insufficient ventilation, wear suitable respiratory equipment If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes.

Storage:- Keep container dry. Keep in a cool place. Ground all equipment containing material. Carcinogenic, teratogenic or mutagenic materials should be stored in a separate locked safety storage cabinet or room.

Section 8: Exposure Controls/Personal Protection

Engineering Controls :- Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below ,recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection:- Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves

Personal Protection in Case of a Large Spill:- Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: -TWA: 0.0005 (mg/m3) from ACGIH / Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance: Solid. (Powdered solid.)

Odor: Not available. Taste: Not available.

Molecular Weight: 203.64 g/mole

Color: Yellowish.

pH (1% soln/water): Not available.Boiling Point: Not available.Melting Point: Decomposes.

Critical Temperature: Not available. Specific Gravity: 3.895 (Water = 1) Vapor Pressure: Not applicable. Vapor Density: Not available. Volatility: Not available. Odor Threshold: Not available. Water/Oil Dist. Coeff.: Not available. Ionicity (in Water): Not available.

Dispersion Properties: Not available.

Solubility: Very slightly soluble in cold water.

Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar, Matunga (C.R) Mumbai – 400019

Administration /correspondence Office :- Plot No. 319,Room No.3, Ranchoddas Terrace building ,sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019 Tel :- +91 22 24148378 / 24146390

Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066

Email Id :- info@arihantchemcorp.com, or nilesh@arihantchemcorp.com Continue page 4...



For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.

STRONTIUM CHROMATE Anti-Corrosive Pigments: - MSDS

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available. **Conditions of Instability:** Not available.

Incompatibility with various substances: Not available.

Corrosivity: Non-corrosive in presence of glass. Special Remarks on Reactivity: Not available. Special Remarks on Corrosivity: Not available.

Polymerization: No.

Section 11: Toxicological Information

Routes of Entry: Dermal contact. Eye contact. Inhalation. Ingestion. **Toxicity to Animals:** Acute oral toxicity (LD50): 3118 mg/kg [Rat].

Chronic Effects on Humans: - CARCINOGENIC EFFECTS: Classified 1 (Proven for human.) by IARC, 1 (Known.) by NTP, + (PROVEN) by

OSHA. Classified A2 (Suspected for human.) by ACGIH.

Other Toxic Effects on Humans:

Very hazardous in case of ingestion.

Hazardous in case of skin contact (irritant, permeator), of inhalation.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

Section 12: Ecological Information

Ecotoxicity: Not available. BOD5 and COD: Not available. Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar, Matunga(C.R) Mumbai – 400019

Administration / correspondence Office :- Plot No. 319, Room No. 3, Ranchoddas Terrace building , sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019 Tel :- +91 22 24148378 / 24146390

Mob:- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066 Email Id:- info@arihantchemcorp.com, or nilesh@arihantchemcorp.com



For paints / inks / plastic / Rubber industries Raw material available with us under self import / Manufacturing / Trading.

STRONTIUM CHROMATE Anti-Corrosive Pigments: - MSDS

Section 14: Transport Information

DOT Classification: CLASS 9: Miscellaneous hazardous material.

Identification: : Environmentally hazardous substance, solid, n.o.s. (Strontium chromate): UN3077 PG: III

Special Provisions for Transport: Not available.

Section 15: Other Regulatory Information

Federal and State Regulations: - California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Strontium chromate ,California prop. 65: This product contains the following ingredients for which the State of California has found to ,cause cancer which would require a warning under the statute: Strontium chromate

Pennsylvania RTK: Strontium chromate, Massachusetts RTK: Strontium chromate

TSCA 8(b) inventory: Strontium chromate , SARA 313 toxic chemical notification and release reporting: Strontium chromate CERCLA: Hazardous substances.: Strontium chromate

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications:

WHMIS (Canada): CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

DSCL (EEC):

R36/38- Irritating to eyes and skin.

R45- May cause cancer.

HMIS (U.S.A.): Health Hazard: 2 Fire Hazard: 1 Reactivity: 0

Personal Protection: \boldsymbol{E}

National Fire Protection Association (U.S.A.):

Health: 2 Flammability: 1 Reactivity: 0 Specific hazard:

Protective Equipment: - Gloves.

Lab coat / Dust respirator. Be sure to use an approved certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate Splash goggles.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/09/2005 06:40 PM **Last Updated:** 11/06/2008 12:00 PM

Regd Off: - Plot no 24 Block no .5, 1st floor, Behind Aurora cinema , opp Sahakari bhandar, Matunga(C.R) Mumbai – 400019

Administration / correspondence Office :- Plot No. 319, Room No. 3, Ranchoddas Terrace building ,sir Bhalchandra Road, opp Hira House, Near Chhatre Maternity Hospital, Matunga (C.R) Mumbai – 400019 Tel :- +91 22 24148378 / 24146390

Mob :- MR NILESH MEHTA +91 9820142066 / +91 8850378208/+91 9029042066 Email Id :- info@arihantchemcorp.com, or nilesh@arihantchemcorp.com